

Transporter Van Specifications and Options

MY2011



Model	Option Code	2.0l TDI 250Nm	2.0l TDI 340Nm	2.0l Twin TDI 400Nm
RRP – Short Wheelbase (Load volume; 5.8 – 6.7 cubic metres)	Transmission			
	5 speed Manual	\$46,950		
	6 speed Manual		\$51,500	\$53,500
	6 speed Manual 4Motion		\$57,500	\$59,500
	7 speed DSG		\$55,000	\$57,000
				\$63,000
RRP – Long Wheelbase (Load volume; 6.7 – 9.3 cubic metres)	Transmission			
	5 speed Manual	\$49,500		
	6 speed Manual		\$54,000	\$56,000
	6 speed Manual 4Motion		\$60,000	\$62,000
	7 speed DSG		\$57,500	\$59,500
				\$65,500

Technical Data

		75 @ 3,500	103 @ 3,500	132 @ 4,000
Power (kW) @ rpm				
Torque (Nm) @ rpm		250 @ 1,500-2,500	340 @ 1,750-2,500	400 @ 1,500-2,000
Cylinders		4	4	4
Fuel Type		Diesel, with DPF filter	Diesel, with DPF filter	Diesel, with DPF filter
Fuel Injection system		Common rail direct injection	Common rail direct injection	TwinTurbo Common rail direct injection

Weights and Dimensions

		●	●	●
Gross vehicle mass 2,800kg		●	●	●
Gross vehicle mass 3,000kg. Note: 400Nm 4Motion Manual models are standard with 3,000 kg gvm	0WQ	o	o	o
Gross vehicle mass 3,200kg. Note – gvm upgrades will increase payload max accordingly.	PG1	o	o	o
Payload (kg, maximum possible). Using base model SWB Manual vehicle		904*	863*	785*
Un-laden weight (kg, minimum). Using base model SWB Manual vehicle		1,896*	1,937*	2,015*
Trailer load limit (kg). Braked, 12% gradient / Un-braked		2,200 / 750	2,500 / 750	2,500 / 750
Length (mm) SWB / LWB		4,892 / 5,292	4,892 / 5,292	4,892 / 5,292
Width (mm) incl wing mirrors		2,283	2,283	2,283
Standard Roof Height - 1,990mm vehicle height		●	●	●
Medium high roof in Candy White – SWB or LWB. 2,176mm vehicle height	ZD1	o	o	o
Medium high roof in body coloured paint (other than Candy White) – SWB or LWB. 2,176mm height	ZD1	o	o	o
High roof in Candy White & inside white, with rear wing doors. Removes right sliding rear door. <u>LWB only</u> . 2,476mm vehicle height	ZD2	o	o	o
High roof, outside body colour paint (other than Candy White), with rear wing doors. Removes right sliding rear door. <u>LWB only</u> . 2,476mm vehicle height	ZD2	o	o	o
Wheelbase (mm) SWB / LWB		3,000 / 3,400	3,000 / 3,400	3,000 / 3,400
Turning circle (m) SWB / LWB		11.9 / 13.2	11.9 / 13.2	11.9 / 13.2
Load compartment length (mm) SWB / LWB		2,353 / 2,753	2,353 / 2,753	2,353 / 2,753
Load compartment width (mm) maximum		1,692	1,692	1,692
Load compartment height (mm) Standard roof / Mid roof / High roof		1,410 / 1,626 / 1,940	1,410 / 1,626 / 1,940	1,410 / 1,626 / 1,940
Rear sliding doors. Width / Height (mm)		1,020 / 1,284	1,020 / 1,284	1,020 / 1,284
Tailgate. Width / Height (mm)		1,486 / 1,305	1,486 / 1,305	1,486 / 1,305

Fuel Consumption

		7.2*	7.4*	7.5*
Fuel consumption (minimum, L/100km). Combined				
CO ₂ emission combined (minimum, g/km)		190*	195*	197*
Emissions category		Euro 5	Euro 5	Euro 5

*Figures will vary for different model derivatives and equipment levels. Key: ● (Standard) o Option - (Not available)

Specifications are subject to change without notice. Retail price includes 15% GST and does not include on-road costs. Fuel consumption tested in accordance with EC directive 80/1268/EC. Consumption measured on European specification cars. Please refer to brochure for further information. Issued 30 September 2010.

Transporter Van Specifications and Options

MY2011



Model	Option Code	2.0l TDI 250Nm	2.0l TDI 340Nm	2.0l Twin TDI 400Nm
Safety and Security				
Airbag (front) and belt tensioner for driver		•	•	•
Airbags (front) for driver and front passenger (with passenger a/bag deactivation)	4UF	o	o	o
Airbags (side and curtain) for driver and front passenger. Forces dual front airbags 4UF.	4X3	o	o	o
Anti-theft alarm system with backup horn	7AJ	o	o	o
Central locking system with safe securing (deadlocking) and radio remote control		•	•	•
Daytime running lights		•	•	•
Electronic vehicle immobilisation (transponder)		•	•	•
ESP (Electronic Stability Program) with hill hold function		•	•	•
Power steering with safety steering column (adjustable in height and length)		•	•	•
Power steering - speed related (Servotronic)		o	o	o
Vented disc brakes with ABS (anti-lock brake system) and ASR (anti-spin regulation) and TCS (traction control system)		•	•	•
3-point automatic seat belts in cab with height adjust, belt tensioners and belt reminder warning		•	•	•
Wheels and Suspension				
Alloy wheels, 16" Miyato with 215/65 tyres	ZR3	o	o	-
Alloy wheels, 16" Cartagena with 215/65 tyres	Z2R	o	o	-
Alloy wheels, 17" Thunder with 235/55 tyres	Z3R	o	o	o
Alloy wheels, 18" Canberra with 255/45 tyres. Deletes full size spare. Forces breakdown mobility set	Z3U	-	o	o
Full size light steel spare wheel with original equipment tyre. Unless 18" alloy selected.		•	•	•
Steel wheels, 16" with 205/65 tyres		•	•	-
Steel wheels, 17" with 235/55 tyres		-	-	•
Suspension – Heavy duty stabilisers front and rear. Lower lateral tilt of vehicle/ increased roll resistance, reduced side wind sensitivity. Not with 3,200kg gvm.	2MF	o	o	o
Suspension – up-rated shocks & springs front & rear. For when the majority on driving is done on gravel roads.. May increase height by up to 20mm. Not with 3,200kg gvm.	1BJ	o	o	o
Suspension – up-rated shocks & springs, f&r. For when the majority on driving is done on badly corrugated tracks. May increase height by up to 20mm. Not with 3,200kg gvm. Only for std roof.	1BB	o	o	o
Suspension – reinforced rear. For loading of rear axle up to max. axle load. Not with 3,200kg gvm.	2MK	o	o	o
Suspension – lowered (approx 20mm). Rear axle load is decreased by 50kg. Lower for aesthetic reasons & increased suitability for garages. Only for SWB and 2,800kg gvm.	2MD	o	o	o
Functional Equipment				
Auto dimming rear view mirror and rain sensing wipers	PA3	o	o	o
Auxiliary heater in rear load compartment	9AR	o	o	o
Climatic semi-automatic air conditioning system in cab		•	•	•
Cruise control	8T1	o	o	o
Electrically adjustable and heated side door mirrors		•	•	•
Electrically adjustable and heated side door mirrors plus electric folding function	ZB3	o	o	o
Electric front windows, with anti-trap function		•	•	•
Instrument cluster – digital clock, gear display, odometer, trip odometer, speedometer, consumption, fuel gauge, temp gauge for coolant		•	•	•
Mechanical differential lock, on rear axle (available on 4Motion only).	1Y4	o	o	o
Multi-function display, standard, 2-eye cluster	9Q1	o	o	o
Multi-function display , high, 4-eye cluster	9Q5	o	o	o
Park aid, front and rear	7X2	o	o	o
Park aid, rear only	7X1	o	o	o
Sliding side door in the rear compartment, left and right		•	•	•
Sliding side door in the rear compartment, left and right, electric opening with power latching	PT4	o	o	o
Steering wheel with height and reach adjustment		•	•	•
Tyre pressure warning indicator	7K6	o	o	o
Windows – fixed, front left and right in the rear compartment's sliding doors		•	•	•
Window – sliding, front left side the rear compartment sliding door	4FU	o	o	o
Window – sliding, front right side the rear compartment sliding door	4JU	o	o	o
Windows – tinted windows in the rear compartment	QL5	o	o	o
Windshield wiper, two speed, with variable intermittent control		•	•	•

*Figures will vary for different model derivatives and equipment levels. Key: • (Standard) o Option - (Not available)

Specifications are subject to change without notice. Retail price includes 15% GST and does not include on-road costs. Fuel consumption tested in accordance with EC directive 80/1268/EC. Consumption measured on European specification cars. Please refer to brochure for further information. Issued 30 September 2010.

Transporter Van Specifications and Options

MY2011



Model	Option Code	2.0l TDI 250Nm	2.0l TDI 340Nm	2.0l Twin TDI 400Nm
Exterior Features				
Colour coded bumpers, front and rear	2JG	o	o	o
Front fog lights and cornering lamp	8WH	o	o	o
Mud flaps, front and rear	6N2	o	o	o
Paint – metallic or pearl effect		o	o	o
Rear tailgate with heated window, includes wiper and washer system. Not possible with High roof.		•	•	•
Rear tailgate without window	ZH6	o	o	o
Rear wing doors with heated window, includes wiper and washer system. Standard for High roof.	ZH1	o	o	o
Rear wing doors, with 250° opening angle. Forces ZH1. LWB models only.	5V4	o	o	o
Interior Features				
Comfort Package (dimnable dash, two-tone horn, dual vanity mirrors, sunglasses holder, additional noise insulation in the cab, grab handle on passenger A pillar, 2 interior spot lights)	ZA1	o	o	o
Floor covering in load compartment - rubber	ZU2	o	o	o
Floor covering in load compartment - wooden	ZU1	o	o	o
Lashing eyes, folding, in the load compartment. (6 for SWB, 8 for LWB)		•	•	•
Lashing eyes, folding, in the load compartment (additional 2 rings)	6B4	o	o	o
Leather-covered three-spoke steering wheel and gear lever grip in leather	ZL4	o	o	o
Leather covered multi-function steering wheel with stereo and MFD controls if MFD selected	ZE6	o	o	o
Leather covered multi-function steering wheel with stereo, phone and MFD controls if MFD selected	ZE7	o	o	o
Partition – full height without window, incl. 2 additional floor lashing eyes	ZZ2	o	o	o
Partition – full height with fixed window, incl. 2 additional floor lashing eyes	ZZ3	o	o	o
Partition – full height with sliding window, incl. 2 additional floor lashing eyes	ZZ4	o	o	o
Roof interior trim in cab as comfort moulded headlining.		•	•	•
Roof interior trim – hardboard lining in load compartment. Std roof height only		•	•	•
Seats, driver and passenger. Driver seat with height adjust and lumbar support		•	•	•
Seats, driver and passenger, both with height adjust and lumbar support	ZS3	o	o	o
Seats, driver and passenger, both with armrests, height adjust and lumbar support	ZS6	o	o	o
Seats, front passenger bench seat in cab. Not available with front side and curtain airbags 4X3	ZV6	o	o	o
Seats, swivel, driver and passenger, both with armrests and lumbar support. No height adjust	ZS7	o	o	o
Seats, heated driver seat	4A1	o	o	o
Seats, heated driver and passenger seats	4A3	o	o	o
Seat covering – 'Place' classic grey cloth upholstery		•	•	•
Side panel trim in load compartment – hardboard trim lower half height		•	•	•
Side panel trim in load compartment – plywood, full height up to roof frame, including side lashing rails. Lashing rails also on full partition if selected	ZZ1	o	o	o
Multimedia				
Provision for mobile phone with Bluetooth (Hands Free Profile, A2DP profile), including Multi-function display 'Plus' (9Q5) and phonebook display.		o	o	o
Media Device Interface (MDI) multimedia socket with i-Pod adapter cable and AUX-in connection. Forces RCD 310		o	o	o
Media Device Interface (MDI) multimedia socket with USB adapter cable and AUX-in connection. Forces RCD 310		o	o	o
Radio system "RCD 210" with MP3 compatible single CD player, station name display, 2 loudspeakers and operational with MF steering wheel if selected		•	•	-
Radio system "RCD 310" with MP3 compatible single CD player, double DIN large display, 4 loudspeakers and Multimedia AUX-IN socket for external audio (located in the glove box)	Z1E	o	o	•
RNS 510 Radio Satellite Navigation system with large 6.5" high resolution colour touch screen, DVD drive, 30GB hard disk, SD card slot and NZ map.	Z1J+7RJ	o	o	o
Warranty and Assistance				
3 year / 100,000 km mechanical warranty, 12 year anti-corrosion warranty		•	•	•
3 year Volkswagen Roadside Assistance		•	•	•
Up to 40,000 km (or every two years) oil service intervals		•	•	-
Up to 30,000 km (or every two years) oil service intervals		-	-	•
Genuine Accessories – Refer to your Dealership Parts Department				
Rear fixed window package (l&r) for rear section of load compartment. Exc fitting costs. SWB/LWB		o	o	o
Roof rack; set of 2. Excludes fitting costs.		o	o	o
Slim line weather shields. Excludes fitting costs.		o	o	o
Tow bar, detachable, black. Excludes fitting costs.		o	o	o
Bluetooth phone kit packages		Contact your parts department for further information		

*Figures will vary for different model derivatives and equipment levels. Key: • (Standard) o Option - (Not available)

Specifications are subject to change without notice. Retail price includes 15% GST and does not include on-road costs. Fuel consumption tested in accordance with EC directive 80/1268/EC. Consumption measured on European specification cars. Please refer to brochure for further information. Issued 30 September 2010.